

# TIMBER FROM POLAND



**OUTDOOR WOOD 2019**  
treated wood - garden range - accessories



La marque de la  
gestion forestière  
responsable

# TEE SOURCING

TEE-SOURCING is a purchasing office located in Poland, consisting of a team of a 100% Francophone team, offering a range of solutions and products designed for construction, renovation and planning for living environment. Our products are designed for material traders. Our advanced experience in this sector and our adapted structure allow us to answer accurately your questions and fulfil your expectations. We guarantee you a good partnership. We are at your disposal to supply you with any kind of products, simply contact us and we will guarantee a quick answer, whether positive or negative!

## Our added value

As for forest management, the FSC® rules are strict and so are social and environmental FSC® requirement. The « principles and criteria » describe management rules to follow so that the forests respond to social, economics, ecological, cultural and spiritual needs of the present and future generations. They include both management constraints and social and environmental requirements. Throughout our experience we noticed that customers have a large number of benchmarks and certifications to guarantee the quality and social aspects of the products purchased and consumed.



To complete this, we have established a certification of the management process and of the order tracking as well as its delivery. This certification ensures the successful completion of the procurement process in our direct context; the Franco-Polish context. This unique certification is the result of long reflections, exchanges and continuous creation of key resources in the sawmills we represent and intervenes throughout the orders entrusted to us. Our principles are based on a dialogue and a clear, systematic documentary exchange so as to ensure that all stakeholders have the right information in order to guarantee the deadlines, quantities and pricing to which we are engaged.

## Our commitment to quality

TEESOURCING does not guarantee the evolution of the wood color nor the phenomena of shrinkage, cracking or deformation related to the evolution of the material over time. Our autoclave treated wood is guaranteed for 10 years depending on the class of use. During this period, any wood attacked by destructive fungi or by insects can be replaced free of charge.


This warranty applies to the product but does not cover the workforce.

It is applicable when treated wood has not been cut or machined; in all other cases, the cut or machined wood must have been reprocessed by brushing or with a complementary treatment product. In order for the warranty to apply, the regulations must be observed.




La marque de la  
gestion forestière  
responsable


# NEWS 2018



## XXL TERRACE DECKING



## Z TERRACE DECKING



## DOUBLE WALL SIDING



## PVC STABILIZERS



## PVC BORDERERS



## ANCHORS

# GARDEN COMPLEMENTS



## PLANTERS



## TERRACE GARDENS

# INDEX

Terrasse et bois d'ossature.....	4
Bardage et traverse de jardin.....	5
Kit clôture.....	6
Rondins et demi-rondins.....	7
La qualité .....	8
Ancres PET .....	10
Aménagement jardin.....	11
Ménagerie.....	22
Abri-bûches.....	22
Chalets emboitables.....	23
Traitement autoclave.....	26

# OUR WOOD SPECIES

**Scots pine:** Pinus sylvestris, quality A/B




**Treatment:** autoclave<sup>(\*)</sup> class 4, green or brown certified

**Characteristics:** FSC label

**Autoclave treatment:** Class 4 treatment protects wood from insects, rot and fungi

Our products are packaged with slats between each row: this created space allows a homogeneous distribution of the impregnation and guarantees a significantly increased longevity. The use of a dry plank avoids excessive warp after laying.



**Larch from Poland:** Larix decidua or European larch, quality A/B




**Treatment:** 20% of hygrometry, anti-blue treatment

**Characteristics:** FSC label

**Advantages:** The advantages of larch are numerous:  
- beautiful appearance, with colorful hues (yellow, orange and brown)  
- high resistance to shocks and wear  
- high resistance to cold  
- high resistance to rain, it hardens with time in contact with water  
- great durability  
- the wood is almost rot-proof because of its density, it resists fire as well  
- simple maintenance and easy installation

**Advice:** The Cleaning of this product is very easy. Indeed, water and a little soap will be enough to restore radiance to your terrace and your cladding. You can also apply stains because this wood species is not acid..



(\*) autoclave treatment: see page 26

# TERRACE DECKING


**Dimensions:** 19mm x 95mm, length from 2m to 5m  
21mm x 98mm, length from 2m to 5m  
21mm x 120mm, length from 2m to 5m  
21mm x 145mm, length from 2m to 5m  
27mm x 145mm, length from 2m to 5m  
27mm x 155mm, length from 2m to 5m (Z profile)  
27mm x 165mm, length from 2m à 5m (XXL profile)  
Different completions finish possible: anti-slip on 1 or 2 faces. Other sections on request.

**Packaging:** 104 pcs./pal.

**Case of use:** Pine and larch terrace decks are laid on class 4 pine beams or rafters. The boards are screwed with special stainless steel deck screws for wooden terraces.  
DTU 51.2 (extract available on our website)..

**Recommendation:** The planks will be screwed alternately by two screws then one screw, but two screws will always be needed at each end nonetheless.  
For the 27x165 we recommend a triple screwing to each joist..

**Sections:** Examples of profiles, quality A/B



## JOISTS AND UNDERSTRUCTURE WOOD

**Dimensions:** 60mm x 40mm, length from 2m to 6m  
45mm x 70/95/120/145/170mm, length from 2m to 6m  
70mm x 145/170/195/220mm, length from 2m to 6m  
95mm x 190/195mm, length from 2m to 6m  
Other length and sections on demand



**Case of use:** Thanks to the high quality of sawing and planning, you will be able to use these joists and structural wood for multiple purposes (framework, cladding, terrace, pergola, carports ,...).




**Section:** 4-faced planed with broken edges, quality A/B



# WEATHERBOARDING

**Dimensions:** 21mm x 132mm useful (147mm really), length from 2.4m to 4m  
27mm x 125mm useful (147mm really), length from 2.4m to 4m  
End grooving up to 4m

**Conditioning:** 104 pcs./colis



**Reminder of the DTU:** The cladding boards must be laid at a humidity of about 20% according to DTU 41.2 (extract available on our website)

**Application:** Several types of installations are possible for your cladding: the American-style horizontal installation, the Scandinavian vertical installation or the oblique installation.

Whatever the type of installation you are considering, care must be taken that the cladding is well ventilated (low, median, high). To do this, it is necessary to place its cladding at a sufficient distance from the wall, 20 cm from the ground to avoid any rise in moisture that would degrade and with a ventilation from 2 to 4 cm high for the evacuation of the moist air. Choice A/B.



Green Treatment



Brown Treatment



Larch

## GARDEN SLEEPERS

**Treatment:** (\*) autoclave class 4, green or brown certified

**Dimensions:** Thickness: 120mm or 140mm  
width: 220mm or 240mm  
length: 2400 or 2600mm

**Characteristics:** FSC label. We offer sleepers with flakes or sharp edges.

**Conditioning:** 12 - 15 sleepers per parcel.

**Advantages:** Class 4 makes it possible to put the garden sleepers in contact with the earth, which does not allow class 3.  
Our garden sleepers are packaged by parcel with slats between each row: this space thus created allows a homogeneous distribution of the impregnation and guarantees a significantly increased longevity.

**Application:** Garden sleepers are used to decorate gardens and retain the earth (creation of trails, alleys)  
Thanks to their class 4 treatment, autoclave garden bars are resistant to external attacks (insects, fungi, weather) and can be placed in direct contact with the ground.

**Profile:** Gross, possibility of planing.



(\*) Autoclave treatment: see page 26

# CLOSING KIT 'LUX'

**Dimensions:**


Post out of heart up to 3m (A), (B) and (C):  
 70mm x 70mm  
 90mm x 90mm  
 45mm x 90mm  
 Length from 1,5m to 3m  
 Can be grooved on demand: 22mm, 28mm, 32mm



**Visualizations**



A



B

**Interlocking blade (D):**

21mm x 132mm useful (147mm really), 104pcs./parcel  
 27mm x 132mm useful (147mm really), 104pcs./parcel  
 Length 2m, others on request

**Right finish plank (E):**


21mm x 120mm, 104pcs./colis  
 27mm x 120mm, 104 pcs./colis  
 Length 2m, others on request



C

**Curved finish plank (F):**

21mm x 60/120mm, 104 pcs./colis  
 27mm x 60/120mm, 104 pcs./colis  
 Length 2m, others on request




D

**Application:** Autoclave treated posts and planks are recommended (\*) for the assembly of wooden fences.

Choice A/B

**Conditioning:** Our products are packaged by parcel with slats between each row: this creates space allows a homogeneous distribution of the impregnation and guarantees a significantly increased longevity. The use of a dry blade avoids excessive strain after the laying.



E



F



See page 10 for our anchorage systems available

## LOGS AND SEMI-LOGS CHAMFERED - BLUNTED

**Dimensions:**



cm	5	6	7	8	10	12	14	16	18	22	24
100	V	V	V	V	V	V	V	V	V	V	V
125	V	V	V	V	V	V	V	V	V	V	V
150	V	V	V	V	V	V	V	V	V	V	V
175	V	V	V	V	V	V	V	V	V	V	V
200	V	V	V	V	V	V	V	V	V	V	V
225	X	X	X	X	V	V	V	V	V	V	V
250	V	V	V	V	V	V	V	V	V	V	V
275	V	V	V	V	V	V	V	V	V	V	V
300	V	V	V	V	V	V	V	V	V	V	V
350	X	X	V	V	V	V	V	V	V	V	V
400	X	X	V	V	V	V	V	V	V	V	V
450	X	X	V	V	V	V	V	V	V	V	V
500	X	X	V	V	V	V	V	V	V	V	V
550	X	X	V	V	V	V	V	V	V	V	V
600	X	X	V	V	V	V	V	V	V	V	V

**Green treatment**



**Brown treatment**



Possibility of drilling on demand

**Conditionnement:**

Diamètres	5	6	7	8	10	12	14
Nbr of pieces/parcels	360	240	182	132	90	56	42

Given as an indication

**Applications:**

Logs in autoclave wood (\*) for vegetable garden borders, garden borders or animal pens. Thanks to their class 4 treatment, the autoclave logs and semi-logs resist external attacks (insects, fungi, bad weather) and can be placed in direct contact with the ground.



(\*) Autoclave treatment: see page 26

## ORCHARDS AND VINEYARDS TRELLISING

**Dimensions:** 4/6mm, 5/7mm, 6/8mm, 7/9mm, 8/10mm,  
10/12mm, 12/14mm, 14/16mm

**Advantages:** Our stakes are packaged by parcels with slats between each row: this creates space allowing a homogeneous distribution of the impregnation and guarantees a significantly increased longevity. A dry stake at the moment of its use increases its life span.



# WOOD APPEARANCE CLASSES (CTB)

TEESOURCING sells only A / B choice

Wood appearance	A	B	A/B
Slots	Light non-crossing checks allowed	Chapped non-traversing allowed	
Healthy knots	Admitted	Admitted	
Black knots	Max. diameters 1/4 of the width of view	Diameters max. 1/3 Width of view	
Jump nodes	Not admitted	Diameter 15mm allowed distance min. between 1.5m nodes	
Heart trace	Light siding admitted	Admitted siding with healthy heart	
Resin pocket	Small pockets allowed max. lenght 20mm	Small pockets allowed long. max. 40mm	
Insect bites	Not accepted	Small black stings accepted	
Lack of planing	Admitted in counter-facing only	Accepted in counter-face	
Planing appearance	Slight sprig admitted (against wire)	Slight sprig admitted (against wire)	
Tolerances of Machining sides	8 / 10th of the allowed thickness. Other odds: in the tolerances of good technical quality		The A / B choices comprise at least 50% of choice A and 50% of choice B

The aesthetic appearance and the color of the woods are not reasons of defects.

Do not store in an unventilated area as this may cause surface mold.

## BATTEN

Our terraces and joists are packaged by parcel with slats between each row: this created space allows a homogeneous distribution of the impregnation and guarantees a significantly increased longevity. A rapid return to 20% wood humidity, corresponding to the DTU for the installation of planed autoclave wood, avoids white mushrooms occurrences on wood or wood warming. Autoclave treated wood should be stored in a ventilated place.



## COEFFICIENTS OF RETRACTABILITY

Linear retractability coefficients:

Wood essence	Coefficient - tangential sense
Ash	0,360
Poplar	0,243
Beech	0,340
Fir	0,310
Oak	0,300
SYLVAN PINE	0,340

Excerpt from Mr. Petipas' work.

Comparative Technology of Wood Industries.

### Example:

Planed terrace board at 20% hygrometry  
27x145

1. Humidity regularly reaches 11% during the summer or the winter:

$$0,145 - ((20-11)*0,145*0,34/100) = 0,140$$

The board will be only 140 mm wide


2. Humidity reaches up to 30% in autumn and spring:

$$0,145 - ((20-30)*0,145*0,34/100) =$$

0,149 The board will be 149 mm wide.

# WOOD, A LIVING MATERIAL

**SALT RISE:** During autoclave impregnation treatment, the treatment "salts" can reveal small green spots on the surface of the wood. These are resin risings that have been colored by the treatment product. This has absolutely no consequence for the wood.



**GRAYING:** Greyness is a natural phenomenon. It results from the "washing out" of the product under the action of the sun's UV rays. It can be avoided by covering the product, before laying, with a stain, a wood paint, or a varnish. The goal is to obtain a UV filtration.




**CRACK AND SLOTS:** When drying, wood works irregularly depending on its variable density. The external elements (temperature, air humidity, sunshine ...) are elements that act on the drying which results in cracks. These do not alter in any case the mechanical resistance of the product or its static properties.



**DIFFERENCE OF SHADE, OF COLOR:** Each tree is unique and each tree has different shapes and veins. The treatment will penetrate differently each layer of wood density, resulting in different coloring effects. They fade quickly during outdoor exposure.



**MOLD:** During very hot weather, dark spots can be seen on the rougher parts of the wood, called darkening. They are microscopic fungi that do not destroy the wood nor affect its resistance. This phenomenon, which appears especially during storage with insufficient ventilation, can disappear by itself (under the action of rain, sun and wind) or be wiped off with a cloth.



**THE RESIN:** During the autoclave treatment of softwoods (fir, Scots pine, spruce, ...) the pressure can bring to the surface a little resin. Simply remove with a spatula or turpentine.



**THE KNOT:** The items are made from wood which, of course, have branches. The number of nodes varies. They do not constitute a quality defect in the garden wood field.



**WIRE AGAINST:** Counter-wire appears when planing the wooden blade; during profiling, sometimes "disoriented" fibers are torn off by the knives. (This phenomenon cannot call into question the quality of the planing).



**MILLING:** We talk about milling when a piece of irregular round wood is passed through a milling machine to give it a constant diameter along its entire length. Clipping (blunting it up to put it in the ground more easily) is not systematic and depends on the technical possibility of realization.



**MARROW:** The marrow constitutes the central part of the trunk. It is made of a fabric softer and lighter than that of the rest of the trunk. Thus, when a blade of wood is crossed by marrow, it happens that the profiling makes it visible on a part or all its length. This disorder is mainly visual and does not question the good performance of the facing.



# ANCHORS FOR WOOD POSTS

**Application:** Posts binding, commonly known as foot pole, is extremely important because the stiffness of the whole structure will depend on it. Anchoring a pole has become easy thanks to various pole fasteners. There are several types depending on the section of the post, the ground anchor, the desired height from the ground, etc ...

All the load of a structure is brought back to the ground via the posts and its connectors, it is therefore very important to make sure of their fixations on the support base. A post fixation allows not only the stability and reliability of the structure but also the transfer of the load to the ground through the base. The choice of fasteners apparently depends on the nature of the base. This one can be fixed in concrete or simply in the ground.

## Ancres en plastique PET écologiques

Première ancre en composite au monde, produite avec des bouteilles PET recyclées. La technologie de production des pièces composites en PET est modifiée avec quelques composants chimiques et renforcée avec la fibre de verre.

**Caractéristiques:**

- Matériau 100% recyclable PET/PC, couleur graphite
- Qualité supérieure à celle des ancrages en tôle d'acier galvanisée
- Installation sécurisée (pas de bords tranchants)
- Meilleure résistance mécanique que les bases galvanisées en tôle d'acier
- Résistant à la pluie, la neige, la glace
- Ne rouille jamais!
- Ils ne nécessitent pas d'entretien et de protection contre les effets néfastes de l'environnement extérieur (corrosion, champignons d'imprégnation, etc.).
- En choisissant l'éco-ancre , Nous privilégions la protection de l'environnement naturel.
- Producteur européen

### Pour l'environnement naturel

- Recyclage de produits réduit l'impact des bouteilles PET usées sur l'environnement!
- L'utilisation des produits PET réduit l'émission de CO<sup>2</sup>
- Le produit ne libère ni de composés de peinture ni de zinc dans le sol.
- Ne rouille jamais!

**Garantie de couleur:** 5 ans

**Garantie de résistance:** 10 ans

### Ancres à enfoncer standard



71x71x750



91x91x750

### **Colisage:**

71x71x750 – 50pcs/carton  
91x91x750 – 36pcs/carton

### Support à visser standard



71x71x170



91x91x170

### **Colisage:**

71x71x170 – 54pcs/carton  
91x91x170 – 35pcs/carton

### Ancres à cimenter standard



71x71x330



91x91x310

### **Colisage:**

71x71x330 – 72pcs/carton  
91x91x310 – 36pcs/carton

# AMENAGEMENT JARDIN

## Horizontal planting border



Horizontal border to be planted  
dimensions: 100x20-35cm  
logs diam. 5cm  
assembly by clips and galvanized wire  
60 pcs./pallet, 250 kg/pallet  
code art.: 60.10801.0553.0.00  
code EAN13: 5902841330603



Horizontal border to be planted  
dimensions 98x20-40cm  
logs diam. 7cm  
assembly by galvanized staples and wire  
60 pcs./pallet 350 kg/pallet  
code art.: 60.10801.0554.0.00  
code EAN13: 5902841330665


Horizontal border to be planted  
dimensions 98x30-50cm  
logs diam. 7cm  
assembly by galvanized staples and wire  
60 pcs./pallet, 500 kg/pallet  
code art.: 60.10801.0555.0.00  
code EAN13: 5902841330672

## Border to unroll half-log



Border to unroll half-log  
dimensions 200x20cm demi  
logs diam 5cm  
Assembly by galvanized staples and wire  
80 pcs./pallet, 531 kg/pallet  
code art.: 60.10802.0560.0.00  
code EAN13: 5902841330689

## Openwork fence to plant



Openwork fence to plant  
dimensions 110x28-45cm  
planks 15x63mm  
assembly by galvanized nails  
52 pcs./pallet, 242 kg/pallet  
code art.: 60.10803.0719.0.00  
code EAN13: 5902841330696

## Gate

Right door  
dimensions 100x80cm  
planks 15x90mm  
reinforcements 2\*16x100x60mm  
assembly by galvanized  
staples and wire  
10 pcs./pallet, 99 kg/pallet  
code art.: 60.10806.0740.0.00  
code EAN13: 5902841330795

Right door  
dimensions 100x100cm  
planks 15x90mm  
reinforcements 2\*16x100x60mm  
assembly by galvanized  
staples and wire  
10 pcs./pallet, 115 kg/pallet  
code art.: 60.10806.0741.0.00  
code EAN13: 5902841330801

Right door  
dimensions 100x120cm  
planks 15x90mm  
reinforcements 2\*16x100x60mm  
assembly by galvanized  
staples and wire  
10 pcs./pallet, 131 kg/pallet  
code art.: 60.10806.0742.0.00  
code EAN13: 5902841330818



Rounded gate  
dimensions 100x80-95cm  
planks 15x90mm  
reinforcements 2\*16x100x60mm  
assembly by galvanized  
staples and wire  
10 pcs./pallet, 111 kg/pallet  
code art.: 60.10806.0745.0.00  
code EAN13: 5902841330825

Rounded gate  
dimensions 100x100-115cm  
planks 15x90mm  
reinforcements 2\*16x100x60mm  
assembly by galvanized  
staples and wire  
10 pcs./pallet, 128 kg/pallet  
code art.: 60.10806.0746.0.00  
code EAN13: 5902841330832



Portillon mixte ERIC  
dimensions 3,2x100xH86-100 cm  
lames 15x90mm  
assemblage par clous galvanisés  
10 pcs./palette, 120 kg/palette  
code art.: 60.10806.0749.0.00  
code EAN13: 5902841332256



# Portillon ajouré



Portillon droit ALICE  
dimensions 4,4x100xH90 cm  
lames 15x85mm  
assemblage par vis  
et agrafes galvanisées  
10 pcs./palette, 100 kg/palette  
code art.: 60.10806.0747.0.00  
code EAN13: 5902841332416



Portillon arrondi ALICE  
dimensions 4,4x100xH105 cm  
lames 15x85mm  
assemblage par vis  
et agrafes galvanisées  
6 pcs./palette, 77 kg/palette  
code art.: 60.10806.0748.0.00  
code EAN13: 5902841332386

## Fences



Clôture mixte ERIC  
dimensions 3,2x180xH86-100 cm  
lames 15x90mm  
assemblage par clous galvanisés  
40 pcs./palette, 752 kg/palette  
code art.: 60.10805.0729.0.00  
code EAN13: 5902841332409



Trellis fence  
dimensions 250x80cm  
half logs diam. 5,5cm  
assembly by galvanized nails  
40 pcs./pallet, 860 kg/pallet  
code art.: 60.10804.0606.0.00  
code EAN13: 5902841330702



Right fence  
dimensions 180x60cm  
planks 14x90mm  
reinforcements 2\*16x180x60mm  
assembly by galvanized nails  
32 pcs./pallet, 353 kg/pallet  
code art.: 60.10805.0711.0.00  
code EAN13: 5902841330726



Right fence  
dimensions 180x100cm  
planks 14x90mm  
reinforcements 2\*16x180x60mm  
assembly by galvanized nails  
32 pcs./pallet, 499 kg/pallet  
code art.: 60.10805.0714.0.00  
code EAN13: 5902841330740



Rounded fence  
dimensions 180x60-75cm  
planks 14x90mm  
reinforcements 2\*16x180x60mm  
assembly by galvanized nails  
32 pcs./pallet, 384 kg/pallet  
code art.: 60.10805.0725.0.00  
code EAN13: 5902841330764

Rounded fence  
dimensions 180x100-115cm  
planks 14x90mm  
reinforcements 2\*16x180x60mm  
assembly by galvanized nails  
32 pcs./pallet, 560 kg/pallet  
code art.: 60.10805.0727.0.00  
code EAN13: 5902841330788

Trellis fence  
dimensions 250x100cm  
half logs diam. 5,5cm  
assembly by galvanized nails  
40 pcs./pallet, 940 kg/pallet  
code art.: 60.10804.0607.0.00  
code EAN13: 5902841330719

Right fence  
dimensions 180x80cm  
planks 14x90mm  
reinforcements 2\*16x180x60mm  
assembly by galvanized nails  
32 pcs./pallet, 418 kg/pallet  
code art.: 60.10005.0713.0.00  
code EAN13: 5902841330733

Right fence  
dimensions 180x120cm  
planks 14x90mm  
reinforcements 2\*16x180x60mm  
assembly by galvanized nails  
32 pcs./pallet, 579 kg/pallet  
code art.: 60.10805.0712.0.00  
code EAN13: 5902841330757

Rounded fence  
dimensions 180x80-95cm  
planks 14x90mm  
reinforcements 2\*16x180x60mm  
assembly by galvanized nails  
32 pcs./pallet, 432 kg/pallet  
code art.: 60.10805.0726.0.00  
code EAN13: 5902841330771

# Barrière anglaise

Barrière anglaise avec ou sans charnière

Dimensions: 120x120, 180x120, 210x120, 240x120, 300x120, 360x120, 400x120cm

Montants verticaux: 70x70cm et 70x120cm

Lisses: 20x90cm

Conditionnement: 10 pcs. par palette



Dimensions: 120x120



Dimensions: 180x120, 210x120



Dimensions: 210x120, 240x120, 300x120, 360x120, 400x120

Sans charnière:

120x120, code art.: 60.10831.5001.0.00, code EAN13: 5902841332607

180x120, code art.: 60.10831.5002.0.00, code EAN13: 5902841332614

210x120, code art.: 60.10831.5003.0.00, code EAN13: 5902841332621

240x120, code art.: 60.10831.5004.0.00, code EAN13: 5902841332638

300x120, code art.: 60.10831.5005.0.00, code EAN13: 5902841332645

360x120, code art.: 60.10831.5006.0.00, code EAN13: 5902841332652

400x120, code art.: 60.10831.5007.0.00, code EAN13: 5902841332669

Avec charnière:

120x120, code art.: 60.10831.5008.0.00, code EAN13: 5902841332676

180x120, code art.: 60.10831.5009.0.00, code EAN13: 5902841332683

210x120, code art.: 60.10831.5010.0.00, code EAN13: 5902841332690

240x120, code art.: 60.10831.5011.0.00, code EAN13: 5902841332706

300x120, code art.: 60.10831.5012.0.00, code EAN13: 5902841332713

360x120, code art.: 60.10831.5013.0.00, code EAN13: 5902841332720

400x120, code art.: 60.10831.5014.0.00, code EAN13: 5902841332737

# Barrière irlandaise à double battant

Barrière irlandaise à double battant avec ou sans charnière

Dimensions: 2 battants 120x120, 150x120, 180x120, 210x120, 240x120cm

Montants verticaux: 70x120cm

Lames: 32x95cm

Conditionnement: 5 ensembles de 2 battants par palette



Sans charnière:

2 battants 120x120

code art.: 60.10828.3006.0.00, code EAN13: 5902841332829

2 battants 150x120

code art.: 60.10828.3007.0.00, code EAN13: 5902841332836

2 battants 180x120

code art.: 60.10828.3008.0.00, code EAN13: 5902841332843

2 battants 210x120

code art.: 60.10828.3009.0.00, code EAN13: 5902841332850

2 battants 240x120

code art.: 60.10828.3010.0.00, code EAN13: 5902841332867

Avec charnière:

2 battants 120x120

code art.: 60.10828.3001.0.00, code EAN13: 5902841332775

2 battants 150x120

code art.: 60.10828.3002.0.00, code EAN13: 5902841332782

2 battants 180x120

code art.: 60.10828.3003.0.00, code EAN13: 5902841332799

2 battants 210x120

code art.: 60.10828.3004.0.00, code EAN13: 5902841332805

2 battants 240x120

code art.: 60.10828.3005.0.00, code EAN13: 5902841332812

# Barrière écossaise à crosse

Barrière écossaise à crosse avec ou sans charnière

Dimensions: 120xH120/150, 180xH120/150, 210xH120/150,

240xH120/150, 300xH120/150, 360xH120/150, 400xH120/150

Montants verticaux: 70x70cm et 70x120cm (montant d'accroche)

Lisses: 20x90cm

Conditionnement: 10 pcs par palette



Sans charnière:

120xH120/150

code art.: 60.10829.4008.0.00, code EAN13: 5902841332980

180xH120/150

code art.: 60.10829.4009.0.00, code EAN13: 5902841332997

210xH120/150

code art.: 60.10829.4010.0.00, code EAN13: 5902841333000

240xH120/150

code art.: 60.10829.4011.0.00, code EAN13: 5902841333017

300xH120/150

code art.: 60.10829.4012.0.00, code EAN13: 5902841333024

360xH120/150

code art.: 60.10829.4013.0.00, code EAN13: 5902841333031

400xH120/150

code art.: 60.10829.4014.0.00, code EAN13: 5902841333048

Avec charnière:

120xH120/150

code art.: 60.10829.4001.0.00, code EAN13: 5902841332911

180xH120/150

code art.: 60.10829.4002.0.00, code EAN13: 5902841332928

210xH120/150

code art.: 60.10829.4003.0.00, code EAN13: 5902841332935

240xH120/150

code art.: 60.10829.4004.0.00, code EAN13: 5902841332942

300xH120/150

code art.: 60.10829.4005.0.00, code EAN13: 5902841332959

360xH120/150

code art.: 60.10829.4006.0.00, code EAN13: 5902841332966

400xH120/150

code art.: 60.10829.4007.0.00, code EAN13: 5902841332973

# Barrière écossaise avec soubassement



Sans charnière:  
120xH120/150

code art.: 60.10830.5008.0.00, code EAN13: 5902841333123  
180xH120/150  
code art.: 60.10830.5009.0.00, code EAN13: 5902841333130  
210xH120/150  
code art.: 60.10830.5010.0.00, code EAN13: 5902841333147  
240xH120/150  
code art.: 60.10830.5011.0.00, code EAN13: 5902841333154  
300xH120/150  
code art.: 60.10830.5012.0.00, code EAN13: 5902841333161  
360xH120/150  
code art.: 60.10830.5013.0.00, code EAN13: 5902841333178  
400xH120/150  
code art.: 60.10830.5014.0.00, code EAN13: 5902841333185

Barrière écossaise avec soubassement avec ou sans charnière  
Dimensions: 120xH120/150, 180xH120/150, 210xH120/150,  
240xH120/150, 300xH120/150, 360xH120/150, 400xH120/150cm  
Montants verticaux: 70x70 et 70x120cm (montant d'accroche)  
Lames: 20x90cm  
Conditionnement: 10 pcs. par palette

Avec charnière:

120xH120/150  
code art.: 60.10830.5001.0.00, code EAN13: 5902841333055  
180xH120/150  
code art.: 60.10830.5002.0.00, code EAN13: 5902841333062  
210xH120/150  
code art.: 60.10830.5003.0.00, code EAN13: 5902841333079  
240xH120/150  
code art.: 60.10830.5004.0.00, code EAN13: 5902841333086  
300xH120/150  
code art.: 60.10830.5005.0.00, code EAN13: 5902841333093  
360xH120/150  
code art.: 60.10830.5006.0.00, code EAN13: 5902841333109  
400xH120/150  
code art.: 60.10830.5007.0.00, code EAN13: 5902841333116

## Clôture coloniale



Clôture coloniale  
dimensions 180xH180 cm  
lames 20 mm, cadre 35x70 mm  
bois imprégné vert  
poteau du milieu 70x70  
clôture montée  
12 pcs./palette  
code art.: 60.10827.1001.0.00  
code EAN13: 5902841332577

Clôture coloniale  
dimensions 90xH180 cm  
lames 20 mm, cadre 35x70 mm  
bois imprégné vert  
poteau du milieu 70x70  
clôture montée  
12 pcs./palette  
code art.: 60.10827.1002.0.00  
code EAN13: 5902841332584

Clôture coloniale  
dimensions 180xH90 cm  
lames 20 mm, cadre 35x70 mm  
bois imprégné vert  
poteau du milieu 70x70  
clôture montée  
12 pcs./palette  
code art.: 60.10827.1003.0.00  
code EAN13: 5902841332591

## Fence with pots



Dimensions: posts 120x120x2000mm with 2 or 3 perforations,  
horizontal blade 40x120x2500mm or 3000mm  
Treatment: autoclave class 4  
Characteristics: label FSC  
Conditioning: on demand

## Screen lamella



Right screen lamella ECO  
dimensions 180x180cm  
frame 18x45mm  
lamella 5x60mm  
reinforcements 2\*9x35mm  
assembly by galvanized staples  
60 pcs./pallet, 1070 kg/pallet  
code art.: 60.10808.2006.0.00  
code EAN13: 5902841330863



Straight screen lamella  
dimensions 90x180cm  
frame 44x44mm  
lamella 8x90mm  
assembly by galvanized staples  
24pcs./pallet, 490 kg/pallet  
code art.: 60.10808.2010.0.00  
code EAN13: 5902841330870



Straight screen lamella  
dimensions 180x180cm  
frame 44x44mm  
lamella 8x90mm  
assembly by galvanized staples  
24pcs./pallet, 850 kg/pallet  
code art.: 60.10808.2011.0.00  
code EAN13: 5902841330887

# Vertical screen

Right vertical screen  
dimensions 180x180cm, ép. 45mm  
planks 15\*140mm  
reinforcements 3\*18x70mm  
assembly by galvanized staples  
20 pcs./pallet, 1357 kg/pallet  
code art.: 60.10807.2136.0.00  
code EAN13: 5902841330849

Rounded vertical screen  
dimensions 180x165-180cm, ép. 45mm  
planks 15\*140mm  
reinforcements 3\*18x70mm  
assembly by galvanized staples  
20 pcs./pallet, 1316 kg/pallet  
code art.: 60.10807.2137.0.00  
code EAN13: 5902841330856



# Openwork screen



Right openwork screen  
dimensions 180x180cm  
frame 44x44mm  
lamella 8x90mm  
lattice 8x30mm  
assemblage par vis inox  
and galvanized staples  
24 pcs./pallet, 816 kg/pallet  
code art.: 60.10809.2201.0.00  
code EAN13: 5902841330894



Double rounded perforated screen  
dimensions 180x160-180cm  
frame 44x44mm  
lamella 8x90mm  
lattice 8x30mm  
assembly by stainless screws  
and galvanized staples  
24 pcs./pallet, 735 kg/pallet  
code art.: 60.10809.2221.0.00  
code EAN13: 5902841330900




Rounded lamella screen  
dimensions 90x160-180 cm  
frame 44x44mm  
lamella 8x90mm  
assembly by galvanized staples  
24pcs./pallet, 490 kg/pallet  
code art.: 60.10808.2012.0.00  
code EAN13: 5902841331556

# Diagonal lattice screen

Diagonal lattice screen  
dimensions 180x180cm  
frame 44x44mm  
assembly by stainless screws  
and galvanized staples  
24 pcs./pallet, 624 kg/pallet  
code art.: 60.10810.2301.0.00  
code EAN13: 5902841330917

Diagonal lattice screen  
dimensions 150x180cm  
frame 44x44mm  
assembly by stainless screws  
and galvanized staples  
24 pcs./pallet, 480 kg/pallet  
code art.: 60.10810.2302.0.00  
code EAN13: 5902841330924

Diagonal lattice screen  
dimensions 120x180cm  
frame 44x44mm  
assembly by stainless screws  
and galvanized staples  
24 pcs./pallet, 466 kg/pallet  
code art.: 60.10810.2303.0.00  
code EAN13: 5902841330931



Diagonal lattice screen  
dimensions 90x180cm  
frame 44x44mm  
assembly by stainless screws  
and galvanized staples  
24 pcs./pallet, 384 kg/pallet  
code art.: 60.10810.2304.0.00  
code EAN13: 5902841330948

Diagonal lattice screen  
dimensions 60x180cm  
frame 44x44mm  
assembly by stainless screws  
and galvanized staples  
24 pcs./pallet, 305 kg/pallet  
code art.: 60.10810.2305.0.00  
code EAN13: 5902841330955

# Lattice



Straight lattice without frame  
dimension 60x180cm  
section 1x3cm  
assembly by galvanized staples  
code art.: 60.10812.2440.0.00  
code EAN13: 5902841331129  
20 pcs./palette, 90 kg/palette



Right V lattice  
dimensions 30/65x195cm  
section 1x3cm  
assembly by galvanized staples  
code art.: 60.10812.2442.0.00  
code EAN13: 5902841331136  
20 pcs./palette, 50kg/palette

# Flower pot

## Flower pot

dimensions l50xL50xh34cm  
section 40x50mm  
assembly by galvanized nails  
8 pcs./pallet, 200 kg/pallet  
code art.: 60.10811.3405.0.00  
code EAN13: 5902841330986



dimensions l50xL100xh44  
section 40x50  
assembly by galvanized nails  
code art.: 60.10811.3406.0.00  
code EAN13: 5902841330993



dimensions l40xL80xh150cm  
section 40x50mm  
assembly by nails and  
galvanized staples  
12 pcs./pallet, 456 kg/pallet  
code art.: 60.10811.3419.0.00  
code EAN13: 5902841331006

## Flower pot MALTA

dimensions l40xL40xh40cm  
frame section 45x45mm  
filling section 15x90mm  
assembly by galvanized screws  
18 pcs./pallet, 278 kg/pallet  
code art.: 60.10811.3420.0.00  
code EAN13: 5902841331013



## Flower pot MALTA

dimensions l40xL80xh40cm  
frame section 45x45mm  
filling section 15x90mm  
assembly by galvanized screws  
6 pcs./pallet, 141 kg/pallet  
code art.: 60.10811.3421.0.00  
code EAN13: 5902841331020

## Flower pot MALTA

dimensions l50xL50xh40cm  
frame section 45x45mm  
section filling section 15x90mm  
assembly by galvanized screws  
8 pcs./pallet, 167 kg/pallet  
code art.: 60.10811.3422.0.00  
code EAN13: 5902841331037



## Set of 3 hexagonal planters

45x29cm  
55x39cm  
65x49cm  
frame section 40x50mm  
assembly by galvanized nails  
4 pcs./pallet, 303 kg/pallet  
code art.: 60.10811.3423.0.00  
code EAN13: 5902841331044

## Set of 3 square flower bins

30x24cm  
40x34cm  
50x44cm  
frame section 40x50mm  
assembly by galvanized nails  
4 pcs./pallet, 220 kg/pallet  
code art.: 60.10811.3424.0.00  
code EAN13: 5902841331051



## Set of 3 rectangle planters

30x60x24cm  
40x80x34cm  
50x100x44cm  
frame section 40x50mm  
assembly by galvanized nails  
4 pcs./pallet, 340 kg/pallet  
code art.: 60.10811.3425.0.00  
code EAN13: 5902841331068

Rectangular flower box with  
stainless steel threaded rod  
dimensions 100x50x50cm  
basic section 45x130mm  
frame section 45x90mm  
geotextile included threaded  
rod stainless steel  
code art.: 60.10811.3432.0.00  
code EAN13: 5902841331099



Rectangular flower box with  
stainless steel threaded rod  
dimensions 150x50x50cm  
basic section 45x130mm  
frame section 45x90mm  
geotextile included threaded  
rod stainless steel  
code art.: 60.10811.3433.0.00  
code EAN13: 5902841331105

Rectangular flower box with  
stainless steel threaded rod  
dimensions 180x50x50cm  
basic section 45x130mm  
frame section 45x90mm  
geotextile included threaded  
rod stainless steel  
code art.: 60.10811.3434.0.00  
code EAN13: 5902841331112

Square flower box with stainless  
steel threaded rod  
dimensions 50x50x50cm  
basic section 45x130mm  
frame section 45x90mm  
geotextile included threaded  
rod stainless steel  
code art.: 60.10811.3430.0.00  
code EAN13: 5902841331075



Square flower box with stainless  
steel threaded rod  
dimensions 60x60x50cm  
basic section 45x130mm  
frame section 45x90mm  
geotextile included threaded  
rod stainless steel  
code art.: 60.10811.3431.0.00  
code EAN13: 5902841331082

# Flower pot



Flower pot  
dimensions l40xL40xh34cm  
section 40x50mm  
assembly by galvanized nails  
8 pcs./pallet, 132 kg/pallet  
code art.: 60.10811.3401.0.00  
code EAN13: 5902841330962



Flower pot  
dimensions l40xL80xh34cm  
section 40x50mm  
assembly by galvanized nails  
6 pcs./pallet, 156 kg/pallet  
code art.: 60.10811.3402.0.00  
code EAN13: 5902841330979

# Pergola



Pergola arch  
dimensions 180x60x220cm  
post section 45x60mm  
assembly by galvanized  
screws and staples  
18 pcs./pallet, 765 kg/pallet  
code art.: 60.10813.5001.0.00  
code EAN13: 5902841331143



Right Pergola  
dimensions 180x60x210cm  
post section 45x60mm  
assembly by galvanized  
screws and staples  
18 pcs./pallet, 774 kg/pallet  
code art.: 60.10813.5002.0.00  
code EAN13: 5902841331150



Pergola arch  
dimensions 180x70x220cm  
post section 70x70mm  
assembly by galvanized  
screws and staples  
8 pcs./pallet, 472 kg/pallet  
code art.: 60.10813.5003.0.00  
code EAN13: 5902841331167



Pergola PYRAMIDE  
dimensions 180x70x220cm  
post section 70x70mm  
assembly by galvanized  
screws and staples  
8 pcs./pallet, 472 kg/pallet  
code art.: 60.10813.5005.0.00  
code EAN13: 5902841331181



Right Pergola  
dimensions 180x70x210cm  
post section 70x70mm  
assembly by galvanized  
screws and staples  
8 pcs./pallet, 480 kg/pallet  
code art.: 60.10813.5004.0.00  
code EAN13: 5902841331174



Pergola arch with bench  
dimensions 160x70x190cm  
assembly by galvanized  
screws and staples  
4 pcs./pallet, 384 kg/pallet  
code art.: 60.10813.5006.0.00  
code EAN13: 5902841331198

# Playhouses



Children's Chalet (without slide, windows)  
dimensions 220x180x155cm  
post 70x70mm  
roofing boards 15x90mm  
floor boards 15x90mm  
bituminous strip cover  
assemblies by screws, staples and  
galvanized hinges, stainless nuts  
1 pcs./pallet  
code art.: 60.10820.6721.0.00  
code EAN13: 5902841331365



Children's Chalet (without windows)  
dimensions 124x113x154cm  
roofing boards 15x90mm  
Floor boards 15x90mm couverture  
Bituminous strip cover assemblies  
By screws, staples and galvanized  
hinges, stainless nuts  
5 pcs./pallet, 585 kg/pallet  
code art.: 60.10820.6136.0.00  
code EAN13: 5902841331372

# Mobilier de jardin



Fauteuil en bois  
dimensions 88x75xH42/82 cm  
lames 16 mm  
bois imprégné vert  
kit de fixation inclus  
8 pcs./palette  
code art.: 60.10826.4001.0.00  
code EAN13: 5902841332744



Banc en bois  
dimensions 198x75xH42/82 cm  
lames 16 mm  
bois imprégné vert  
kit de fixation inclus  
5 pcs./palette  
code art.: 60.10826.4002.0.00  
code EAN13: 5902841332751



Table basse  
dimensions 170x71xH50 cm  
lames 16 mm  
bois imprégné vert  
kit de fixation inclus  
5 pcs./palette  
code art.: 60.10826.4003.0.00  
code EAN13: 5902841332768

## Picnic table



Picnic table  
dimensions 180x150x70cm  
sections 40x80mm  
galvanized screw connection  
stainless steel nuts  
5 pcs./pallet, 510 kg/pallet  
code art.: 60.10814.3210.0.00  
code EAN13: 5902841331211



Picnic table  
dimensions 150x131x70,5cm  
section 25x73mm  
galvanized screw connections  
and stainless steel nuts  
inox 5 pcs./pallet  
code art.: 60.10814.3204.0.00  
code EAN13: 5902841331204



Picnic table LEO  
dimensions 200x148x70cm  
section 40x120mm  
galvanized screw connection  
stainless steel nuts  
5 pcs./pallet, 595 kg/pallet  
code art.: 60.10814.3212.0.00  
code EAN13: 5902841331235



Child picnic table  
dimensions 90x90x56cm  
section 25x73mm  
galvanized screw connection  
stainless steel nuts  
6 pcs./pallet, 133 kg/pallet  
code art.: 60.10814.3201.0.00  
code EAN13: 5902841331242



Picnic table LUX  
with foldable bench  
dimensions 180x165x72cm  
section 45x120mm  
galvanized screw connection  
stainless steel nuts  
5 pcs./pallet, 700 kg/pallet  
code art.: 60.10814.3211.0.00  
code EAN13: 5902841331228



Table ronde avec tabourets  
diamètre table: 134cm  
hauteur table: 71cm  
diamètre tabourets: 40cm  
section: 45x145mm  
diamètre total: 209cm  
4pcs./palette  
code art.: 60.10814.3215.0.00  
code EAN13: 5902841331785

## Sandbox



Sandbox with cover and bench  
dimensions 120x120x30cm  
planks 16mm-thick  
assembly by screws,  
staples and galvanized hinges  
10 pcs./pallet, 417 kg/pallet  
code art.: 60.10815.6106.0.00  
code EAN13: 5902841331259



Sandbox with cover  
dimensions 120x120x25  
planks 16mm-thick  
assembly by galvanized screws  
20 pcs./pallet, 834 kg/pallet  
code art.: 60.10815.6108.0.00  
code EAN13: 5902841331266

# Carport



Carport  
dimensions 314x520x240cm  
post 90x90mm  
cross 45x90mm  
without cover  
galvanized screw connections  
and stainless steel nuts  
6 pcs./pallet, 1800 kg/pallet  
code art.: 60.10819.6796.0.00  
code EAN13: 5902841331341



Carport XXL  
dimensions 640x540x350cm  
post 140x140mm  
roofing blades 20x120mm  
shingle cover (green, red or black)  
delivered without panels  
1 pcs./pallet, 1500 kg/pallet  
code art.: 60.10819.6797.0.00  
code EAN13: 5902841331358



Carport  
dimensions 304x512xH229cm  
poteaux 120x120mm  
sans couverture  
assemblage par vis galvanisées et écrous inox  
3 pcs./palette, 960 kg/palette  
code art.: 60.10819.6798.0.00  
code EAN13: 5902841332348

# Tool shed



Tool shed  
155x82x190cm  
floorboards 15x90mm  
OSB roof  
bituminous strip cover  
assembly by screws, nails,  
galvanized staples and hinges  
2 pcs./pallet, 350 kg/pallet  
code art.: 60.10818.6510.0.00  
code EAN13: 5902841331327



Tool shed  
240x233x219cm  
floorboards 15x90mm  
OSB roof  
bituminous strip cover  
assembly by screws, nails,  
galvanized staples and hinges  
1 pcs./pallet, 410 kg/pallet  
code art.: 60.10818.6511.0.00  
code EAN13: 5902841331334



Cabane à outils  
240x304xH227cm  
plancher lames 15x90mm  
toiture OSB,  
couverture bande bitumineuse  
assemblage par vis, clous,  
agrafes et charnières galvanisés  
1 pcs./palette, 540 kg/palette  
code art.: 60.10818.6512.0.00  
code EAN13: 5902841332294



Cabane à outils  
175x163xH216  
plancher lames 15x90mm  
toiture OSB,  
couverture bande bitumineuse  
assemblage par vis, clous,  
agrafes et charnières galvanisés  
1 pcs./palette, 290 kg/palette  
code art.: 60.10818.6513.0.00  
code EAN13: 5902841332300



Cabane à outils  
203x153xH222cm  
plancher lames 15x90mm  
toiture OSB,  
couverture bande bitumineuse  
assemblage par vis, clous,  
agrafes et charnières galvanisés  
1 pcs./palette, 310 kg/palette  
code art.: 60.10818.6514.0.00  
code EAN13: 5902841332317



Cabane à outils  
350x336xH248cm  
plancher lames 15x90mm  
toiture OSB,  
couverture bande bitumineuse  
assemblage par vis, clous,  
agrafes et charnières galvanisés  
1 pcs./palette, 800 kg/palette  
code art.: 60.10818.6515.0.00  
code EAN13: 5902841332324



Cabane à outils  
272x173xH221cm  
plancher lames 15x90mm  
toiture OSB,  
couverture bande bitumineuse  
assemblage par vis, clous,  
agrafes et charnières galvanisés  
1 pcs./palette, 285 kg/palette  
code art.: 60.10818.6516.0.00  
code EAN13: 5902841332331

# Cache poubelle



Cache-poubelle  
dimensions 70x88xH135/110 cm  
lames 16 mm  
bois imprégné vert  
instruction de montage et  
quincaillerie incluses  
8 pcs./palette  
code art.: 60.10822.8004.0.00  
code EAN13: 5902841332874



Cache-poubelle double  
dimensions 140x88xH135/110 cm  
lames 16 mm  
bois imprégné vert  
instruction de montage et  
quincaillerie incluses  
6 pcs./palette  
code art.: 60.10822.8005.0.00  
code EAN13: 5902841332881



Cache poubelle  
dimensions 72x83xH116 cm  
lames 16 mm  
bois imprégné vert  
instruction de montage et  
quincaillerie incluses  
8 pcs./palette  
code art.: 60.10822.8006.0.00  
code EAN13: 5902841332898



Cache poubelle  
dimensions 63x65xH116 cm  
lames 16 mm  
bois imprégné vert  
instruction de montage et  
quincaillerie incluses  
8 pcs./palette  
code art.: 60.10822.8007.0.00  
code EAN13: 5902841332904

# Slab



Slab  
dimensions 40x40x2,4cm  
planks 5\*12x68mm  
reinforcements 2\*12x35mm  
assembly by  
galvanized staples  
code art.: 60.10821.3310.0.00  
code EAN13: 5902841331389



Slab LUX  
dimensions 50x50x3,2mm  
planks 7\*16x68mm  
reinforcements 3\*16x35mm  
assembly by  
galvanized staples  
code art.: 60.10821.3301.0.00  
code EAN13: 5902841331396



Slab LUX  
dimensions 100x100x3,2cm  
planks 12\*16x68mm  
reinforcements 4\*16x35mm  
assembly by  
galvanized staples  
code art.: 60.10821.3303.0.00  
code EAN13: 5902841331402

# Gazebo



Square gazebo with lattice  
dimensions 300x300x285cm  
waterproof textile cover  
assembly by screws, nails and  
galvanized staples  
2 pcs./pallet, 560 kg/pallet  
code art.: 60.10817.7003.0.00  
code EAN13: 5902841331310



Square gazebo  
dimensions 345x345x295cm  
roofing blades 15\*90mm  
shingle cover (green, red or black)  
assembly by screws, nails and  
galvanized staples  
1 pcs./pallet, 600 kg/pallet  
code art.: 60.10817.7002.0.00  
code EAN13: 5902841331303



Gazebo diam. 340  
dimensions diam. 340x340cm  
with furniture  
floor and roofing blades 15\*90mm  
shingle cover (green, red or black)  
3 benches 1 table  
assembly by screws, nails and  
galvanized staples  
1 pcs./pallet, 1000 kg/pallet  
code art.: 60.10817.7001.0.00  
code EAN13: 5902841331297

# Complementary products



**Swing**  
 dimensions 200x140x170cm  
 post 40x90mm  
 planks 19x68mm  
 screw connections  
 galvanized and stainless nuts  
 6 pcs./pallet, 570 kg/pallet  
 code art.: 60.10822.7007.0.00  
 code EAN13: 5902841331419



**Pontoon**  
 dimensions 300x90x100cm  
 planks 28x145mm  
 galvanized screw connections  
 and stainless steel nuts  
 5 pcs./pallet, 604 kg/pallet  
 code art.: 60.10822.7011.0.00  
 code EAN13: 5902841331433



**Balustrade cross of St. Andrew double**  
 dimensions 210x100cm  
 sections 70x70mm  
 galvanized screw connections  
 15 pcs./pallet, 600 kg/pallet  
 code art.: 60.10822.8001.0.00  
 code EAN13: 5902841331457



**Composteur**  
 dimensions 100x100xH69 cm  
 lames 19x69  
 20 pcs./palette, 551 kg/palette  
 code art.: 60.10822.8003.0.00  
 code EAN13: 5902841332362



**Mixed open palisade**  
 dimensions 180x90cm  
 frame 40x45mm  
 planks 15x85mm  
 screw connections and  
 galvanized staples  
 24 pcs./pallet, 471 kg/pallet  
 code art.: 60.10822.8000.0.00  
 code EAN13: 5902841331440



**Pontoon**  
 dimensions 180x74x112cm  
 planks 28x145mm  
 galvanized screw connections  
 and stainless steel nuts  
 5 pcs./pallet, 362 kg/pallet  
 code art.: 60.10822.7010.0.00  
 code EAN13: 5902841331426



**St. Andrew's cross balustrade simple**  
 dimensions 110x100cm  
 sections 70x70mm  
 galvanized screw connections  
 15 pcs./pallet, 308 kg/pallet  
 code art.: 60.10822.8002.0.00  
 code EAN13: 5902841331464



**Balancelle avec toit**  
 dimensions 200x140x175 cm  
 poteaux 40x90 lames 19x69  
 6 pcs./palette, 570 kg/palette  
 code art.: 60.10822.7008.0.00  
 code EAN13: 5902841332355



**Puits**  
 dimensions dia 100xH180 cm  
 3 pcs./palette, 354 kg/palette  
 code art.: 60.10822.8008.0.00  
 code EAN13: 5902841332379




**Rectangular vegetable garden 3 compartments**  
 dimensions 140x60x40cm  
 planks 19x100mm  
 geotextile included  
 12 pcs./pallet, 127 kg/pallet  
 code art.: 60.10824.9003.0.00  
 code EAN13: 5902841331495



**Vegetable garden**  
 dimensions 35x100x100cm int. 80x80cm  
 planks 15x100mm  
 geotextile included  
 10 pcs./pallet, 200 kg/pallet  
 code art.: 60.10824.9001.0.00  
 code EAN13: 5902841331471



**3 levels vegetable garden**  
 dimensions 88x113cm  
 heights 20/30/40cm  
 blades 15x100mm  
 geotextile included  
 12 pcs./pallet, 246 kg/pallet  
 code art.: 60.10824.9002.0.00  
 code EAN13: 5902841331488



**Potager avec vitre plexi**  
 dimension 100x50x34/26cm  
 blades 15x9mm  
 assemblies by screws, staples  
 and galvanized hinges  
 10 pcs./palette, 180 kg/palette  
 code art.: 60.10824.9004.0.00  
 code EAN13: 5902841331501



**Vegetable garden on feet**  
 with adjustable height  
 dimensions 80x60x80/100cm  
 blades 19x100mm  
 geotextile included  
 assemblies by screws and staples  
 galvanized  
 4 pcs./palette, 304 kg/palette  
 code art.: 60.10824.9007.0.00  
 code EAN13: 5902841331532



**Potager sur pieds 8 cadres**  
 dimensions 120x60x87cm  
 square 28,8x28,8x20mm  
 blades 15x90mm  
 geotextile included  
 assemblies by screws and staples  
 galvanized  
 8 pcs./palette, 327 kg/palette  
 code art.: 60.10824.9006.0.00  
 code EAN13: 5902841331525

# Ménagerie



**Niche pour chien S**  
**dimensions 60x75xH68 cm avec toit ouvrable**  
**plancher et toiture lames 15x90cm**  
**couverture bande bitumineuse**  
**assemblage par vis et agrafes galvanisées**  
**6 pcs./palette, 135 kg/palette**  
**code art.: 60.10816.6612.0.00**  
**code EAN13: 5902841332263**



**Clapier triangulaire**  
**dimensions 50x100xH50 cm**  
**lames 16 mm**  
**bois imprégné**  
**6 pcs./palette**  
**code art.: 60.10816.6616.0.00**  
**code EAN13: 5902841332515**



**Clapier RUFI**  
**dimensions 49x90xH76,5 cm**  
**lames 16 mm**  
**bois imprégné**  
**kit de fixation inclus**  
**10 pcs./palette**  
**code art.: 60.10816.6618.0.00**  
**code EAN13: 5902841332539**



**Clapier sur pieds**  
**dimensions 41x106xH91 cm**  
**lames 16 mm**  
**bois imprégné**  
**10 pcs./palette**  
**code art.: 60.10816.6617.0.00**  
**code EAN13: 5902841332522**



**Poulailler POLLO**  
**dimensions 120x103xH122 cm**  
**lames 16 mm**  
**bois imprégné**  
**kit de fixation inclus**  
**1 pc./palette**  
**code art.: 60.10816.6619.0.00**  
**code EAN13: 5902841332546**



**Poulailler POLLO PLUS**  
**dimensions 200x103xH122 cm**  
**lames 16 mm**  
**bois imprégné**  
**kit de fixation inclus**  
**1 pc./palette**  
**code art.: 60.10816.6620.0.00**  
**code EAN13: 5902841332553**



**Poulailler JUMBO**  
**dimensions 240x90xH162 cm**  
**lames 16 mm**  
**bois imprégné**  
**kit de fixation inclus**  
**1 pc./palette**  
**code art.: 60.10816.6621.0.00**  
**code EAN13: 5902841332560**



**Ratelier**  
**dimensions 240x156xH250 cm**  
**kit de fixation inclus**  
**bois imprégné**  
**1 pc./palette**  
**code art.: 60.10816.6615.0.00**  
**code EAN13: 5902841332508**

# Abri-bûches



**Abri-bûches**  
**dimensions 217x80xH180 cm**  
**lames 15x90mm**  
**assemblage par clous et agrafes galvanisés**  
**6 pcs./palette, 492 kg/palette**  
**code art.: 60.10825.2000.0.00**  
**code EAN13: 5902841332195**





**Abri-bûches double**  
**dimensions 280x111xH185 cm**  
**lames 15x90mm**  
**assemblage par clous et agrafes galvanisés**  
**4 pcs./palette, 544 kg/palette**  
**code art.: 60.10825.2002.0.00**  
**code EAN13: 5902841332218**



**Abri-bûches XXL**  
**Dimensions 500x200xH200 cm**  
**Lames 15x90mm**  
**Assemblage par clous et agrafes galvanisés**  
**1 pcs./palette, 270 kg/palette**  
**code art.: 60.10825.2001.0.00**  
**code EAN13: 5902841332201**



# Garden cottage PINSON & BERGERONNETTE



<b>A</b>	28 mm	2742x1712 mm 2980x1950mm	1760 mm	2200 mm	$6,4 \text{ m}^2$	floor included (thickness 19 mm)	1650x750 mm	665x525 mm fixed window
<b>B</b>	28 mm	2742x2742 mm 2980x2980mm	1760 mm	2200 mm	$9,77 \text{ m}^2$	floor included (thickness 19 mm)	1650x750 mm	665x525 mm fixed window

Epicéa, non imprégné, vitres plexi, 1 pcs/pal, quincaillerie incluse, couverture bande bitumineuse



# Garden cottage BASILE & GEAI



<b>A</b>	28 mm	2742x1712 mm 2980x1950mm	1760 mm	2200 mm	$6,4 \text{ m}^2$	floor included (thickness 19 mm)	1650x1500 mm	
<b>B</b>	28 mm	2742x2742 mm 2980x2980mm	1760 mm	2200 mm	$9,77 \text{ m}^2$	floor included (thickness 19 mm)	1650x1500 mm	

Epicéa, non imprégné, vitres plexi, 1 pcs/pal, quincaillerie incluse, couverture bande bitumineuse



# Children's Chalet JEANNOT & MARGOT



A	19 mm	1380x1480 mm	1600x1700 /2400mm	1435 mm	1730 mm	4,27 m <sup>2</sup>	floor included (thickness 16 mm)	1235x600 mm	345x345 mm
B	19 mm	1170x1170 mm	1390x1390 /1990mm	1325 mm	1630 mm	3,1 m <sup>2</sup>		1235x600 mm	345x345 mm

Epicéa, non imprégné, vitres plexi, 1 pcs/pal, quincaillerie incluse, couverture bande bitumineuse


# Garden cottage LORIOT & GRIVE



A	28 mm	2242x2242 mm	2480x2480mm	1760 mm	2170 mm	6,94m <sup>2</sup>	floor included (thickness 19 mm)	1650x750 mm	665x525 mm fixed window
B	28 mm	1712x1712 mm	1950x1950mm	1760 mm	2170 mm	4,8m <sup>2</sup>		1650x750 mm	665x525 mm fixed window

Epicéa, non imprégné, vitres plexi, 1 pcs/pal, quincaillerie incluse, couverture bande bitumineuse


## Tool shed SIMON



19 mm	2260x2260 mm	2480x2480 mm	1760 mm	2150 mm	6,94 m <sup>2</sup>	optional floor (thickness 19 mm)

Epicéa, non imprégné, vitres plexi, 1 pcs/pal, quincaillerie incluse, couverture bande bitumineuse

## Tool shed CLAUDE



19 mm	1560x1560 mm	1780x1780 mm	1760 mm	2100 mm	3,17 m <sup>2</sup>	optional floor (thickness 19 mm)

Epicéa, non imprégné, vitres plexi, 1 pcs/pal, quincaillerie incluse, couverture bande bitumineuse

# AUTOCLAVE TREATMENT

**Definition:**

The preservative (odorless and aqueous) is injected under pressure (about 8 bars) in the woods. The latter is thus protected in a sustainable way against the rot and damage caused by xylophagous insects.

**Field of use:**

This process is recommended for native conifers (fir, spruce, pine, etc., etc.), which are not sufficiently resistant to rot attacks mushrooms and wood-eating insects attacks for outdoor use.

Class 4: in contact with the earth or fresh water, for example poles and palisades, avalanche barriers, stabilization structures, utility poles, playgrounds, pontoons or on-shore constructions.

Class 3: no-contact with the ground, for example facades, noise barriers, visual protection walls, balconies or terraces.

**Protection effects:**

The autoclave wood has a life three to five times longer than a wood softwood untreated.

**Color:**

After oxidation and fixation, the wood takes on a slightly green or brown color. The brown hue is obtained by the addition of a coloring paste. It is not a question of covering layer, but of a limited duration hue.

The color after the impregnation depends on the salt, the structure of the surface, the depth of penetration of the product as well as the quality of the wood. There is no guaranteed long-term color stability or color uniformity.

**Products used:**

Tanalith E (Lonza Group Ltd.)


Korasit CC (Kurt Obermeider GmbH & Co. KG)

Wolmanit CX-10 (Dr. Wolman GmbH, BASF Group)


**Storage:**

The impregnated wood must be stored under roof protected from dust and dirt and be well ventilated.


## THE CYCLE OF TREATMENT

**Step 1:**


Suitably prepared and dried, the woods are loaded into the processing cylinder. Application of an initial vacuum, the wood cells are drained from air. The vacuum is maintained.

**Step 4:**

The final vacuum extracts the excess product solution, which returns to the storage tank.

**Step 2:**

Filling of the vacuum cylinder with the wood treatment product, a brown additive is added if necessary.


**Step 5:**

The air enters the cylinder to complete the treatment cycle.

**Step 3:**

Hydraulic pressure is applied, forcing the deep impregnation of the preservative product into the wood cells.





## OTHER PRODUCTS



service commercial: 09.77.21.77.34

[www.timberfrompoland.com](http://www.timberfrompoland.com) | [info@timberfrompoland.com](mailto:info@timberfrompoland.com)  
IBP Sp. z o. o. Sp. k. | Przemysłowa 39/310 | 61-541 Poznań | Pologne